

PRODUCT LIST

SAI Stone is Victoria's trusted wholesale supplier of natural stone products and solutions.

Established in 2005, SAI Stone's premium stone products can now be found at leading brick, paver and tile stores all across Australia.

2026



CONTENTS.

BY MATERIALS

01

Stone Range

03

Bluestone

10

Marble

11

Granite

12

Travertine

13

Limestone

15

Quartz

16

Porphyry

17

Brick / Permeable Paving / Porcelain

18

Australian Stone

BY MATERIALS

BY TYPE

19

Slab

Bluestone / Marble / Granite / Limestone / Travertine

21

Cobble

Bluestone / Marble / Granite / Limestone / Quartz / Porphyry

23

Crazy Paving

Bluestone / Marble / Travertine / Quartz / Porphyry

25

Oragnic Stepper

Blueocean Sawn / Blueocean Honed / Limestone

26

Wall Cladding

Bluestone / Herringbone Pattern / 12mm & 15 mm Thick Paving

27

Pattern

(Pattern Series Installation Guide)

29

Crushed Rock Base Series

Paver / Cobblestone / Brick / Permeable Pavers

30

Local Processing

Custom Cutting/ Edge Profiling / Custom Hearth & Benchtop / Waterjet Cutting

33

Curved Pool Templating

35

Extended Stone Application Guide

Fireplace, BBQ Top, Window Sill, Door Threshold etc.

37

SOO (Special Order Overseas)

Non-standard Stone Range, Special Order Only

39

SOO, Fireplace

40

Landscape Accessories

Skimmer Lid / Watering Bag / Bollard

41

Stone Handling Equipment


43

Application Photos

OTHER
PRODUCTS
& SERVICE

Stone Range

Bluestone



Blue Ocean, Sawn Blue Ocean, Honed Antline, Sawn Steel Blue, Sawn

Bluestone



Lux Black, Flamed Bluestone Pitchers, Split Bluestone Pitchers, Sawn

Granite



Zen Grey, Flamed

Granite



Ken Black, Flamed Sesame White, Flamed Ash Grey, Flamed New Grey, Flamed

Limestone



Lime Greige, Sandblasted & Tumbled Belgium Blue, Sandblasted & Tumbled Moonlight Grey, Acid Washed & Tumbled Sunny Menia, Acid Washed & Tumbled

Limestone



Galala, Sandblasted & Tumbled Sinai Pearl, Sandblasted & Tumbled Twilight Copper, Split

Marble



Antarctica White, Sandblasted Grey Apricot, Sandblasted & Tumbled Frozen Blue, Sandblasted Silver Ash, Sandblasted & Tumbled

Travertine




Classic Travertine, Honed and Filled Classic Travertine, Tumbled and Unfilled Beige Travertine, Tumbled and Unfilled

Permeable



Permeable Paver

Porphyry



Queensland Porphyry Grey, Split Queensland Porphyry Brown, Split

Quartz



Stormy Grey, Split Ember Mist, Split

Bluestone: Blueocean Sawn

Slip Rating P5

Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x12	SQM	32	29.88	1000	Herringbone Pattern,WSL
300x100x20	SQM	54	25.00	1400	
400x400x20	SQM	54	16.00	900	
500x500x20	SQM	54	25.00	1400	
600x300x20	SQM	54	18.00	1000	WSL
600x400x20	SQM	54	24.00	1300	
600x600x20	SQM	54	18.00	1000	
800x400x20	SQM	54	16.00	900	
995x495x20	SQM	54	24.63	1400	WSL
1000x1000x20	SQM	54	20.00	1100	
1005x500x20	SQM	54	25.12	1400	
1200x600x20	SQM	54	25.20	1400	
600x300x30	SQM	81	17.82	1500	WSL
600x600x30	SQM	81	12.24	1000	
800x400x30	SQM	81	10.88	900	
495x495x40	SQM	108	11.76	1300	
995x495x40	SQM	108	11.82	1300	Also available in heavy sandblasted

Crazy Paving




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Crazy Pavingx20	SQM	54	25.00	1400	1 m2 per layer

Pitcher




Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Top Sawn & Sides Split	300-400x200x60	SQM	165	7.20	1200	

Patterns



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
595x595 / 895x595 / 595x295 / 295x295x20	SQM	54	25.44	1400	Ashlar Pattern 900 series, Sold by set, 3.18 sqm/set

*Other sizes and finishes available via special order.



3.18 SQM/set

- A: 595 x 595 mm 4pcs/set
- B: 895 x 595 mm 2pcs/set
- C: 595 x 295 mm 2pcs/set
- D: 295 x 295 mm 4pcs/set

Steppers



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500-700x20	PC	20	50.00	1000	
300-500x30	PC	13	66.00	900	
500-700x30	PC	30	34.00	1100	
700-900x30	PC	53	34.00	1900	

Giant Stepper




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
800-1000x600x150	PC	250	5.00	1300	Sold by pallet

Dropface




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/40	PC	14	72.00	1100	
600x400x20/60	PC	15	48.00	800	
800x400x20/60	PC	18	32.00	600	
800x400x30/80	PC	20	20.00	400	

Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x30	PC	15	99.00	1500	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	27	34.00	1000	
1005x350x30	PC	30	35.00	1100	WSL
1005x500x30	PC	41	34.00	1400	WSL

Bullnose



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x20	PC	10	85.00	900	
600x400x30	PC	20	68.00	1400	
800x400x30	PC	26	35.00	1000	
1005x350x30	PC	30	35.00	1100	WSL

Bluestone: Blueocean Honed

Slip Rating P3


Paving

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x300x12	SQM	32	29.88	1000	
	600x300x20	SQM	54	18.00	1000	
	600x400x20	SQM	54	24.00	1300	
	600x600x20	SQM	54	18.00	1000	
	800x400x20	SQM	54	16.00	900	


Steppers

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	500-700x30	PC	30	34.00	1100	

Dropface

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x400x20/40	PC	14	72.00	1100	WSL
	600x400x20/60	PC	15	48.00	800	
	1005x500x30/80	PC	42	20.00	900	WSL

Bevelled Edge

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	500x500x30	PC	20	68.00	1400	WSL
	600x300x30	PC	15	99.00	1500	
	600x350x30	PC	17	68.00	1200	WSL
	600x400x30	PC	20	68.00	1400	
	800x400x30	PC	27	35.00	1000	WSL


Bullnose

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x300x20	PC	10	85.00	900	
	600x350x30	PC	17	68.00	1200	WSL
	600x400x30	PC	20	68.00	1400	
	1005x350x30	PC	30	35.00	1100	WSL

Bluestone: Antline

Sawn, Slip Rating P5


Paving

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x400x20	SQM	54	24.00	1300	
	1005x500x20	SQM	54	25.13	1400	WSL


Cobble

	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled

Dropface


	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x400x20/50	PC	16	48.00	800	
	800x400x20/50	PC	20	32.00	700	WSL

Bevelled Edge

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	600x400x30	PC	22	68.00	1500	

Bluestone: Lux Black


Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	800x400x20/50	PC	20	19.00	400	WSL
Bevelled	800x400x30	PC	20	34.00	700	WSL

Bluestone: Steel Blue NEW

Sawn, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	New
Paving	800x400x20	SQM	54	16.00	900	New
Dropface	600x400x20/60	PC	14	48.00	700	New
Bevelled	600x400x30	PC	20	68.00	1400	New

Bluestone: Extended Range

Wall Cladding / Cobbles / Pitcher

Cladding

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Rockface	600/400/200x200x20-45	SQM	81	15.08	1300	Mix sizes,WSL
Blueocean	Rockface	200x200x20	PC	10	200.00	2000	Corner return100mm,WSL
Blueocean	Ripple	600x300x20	SQM	54	21.06	1200	WSL



Rockface



Rockface
Corner Return



Ripple

Cobbles

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean Antline	Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled
Blueocean	All Sides Rockface	100x100x30-40	SQM	108	10.00	1100	Individual pieces



Antline Tumbled, P5



Blueocean Rockface, P5

Pitcher NEW

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Victoria Pitcher	Sawn	150-400x100-250x20	SQM	46	33.00	1600	Top & bottom sawn, all 4 sides split, thickness ±5 mm
Victoria Pitcher	Split	150-400x100-250x30	SQM	60	25.00	1500	Top & 4 sides split, bottom sawn, thickness ±10 mm
Victoria Pitcher	Sawn	150-400x100-250x30	SQM	60	25.00	1500	Top & bottom sawn, all 4 sides split, thickness ±5 mm
Blueocean	Top Sawn & Sides Split	300-400x200x60	SQM	165	7.20	1200	



Victoria Pitcher, Sawn
20 ± 5 mm Thick, P5



Victoria Pitcher, Split
30 ± 10 mm Thick, P5



Victoria Pitcher, Sawn
30 ± 5 mm Thick, P5



Blueocean Pitcher, Sawn
60 mm Thick, P5

Bluestone: Extended Range

Kerb / Organic Table and Seat

Kerb

Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Honed	600x100x100	PC	17	50.00	900	
Sawn	600x100x100	PC	17	50.00	900	



Bluestone Table and Seat

Name	Dimension (mm)	UoM	kg/UoM	Note
Bluestone Seat 300x300x400	300x300x400	PC	250	
Bluestone Table	700-900X30 tabletop, 600x20mm base	SET	750	
Bluestone Table Set (6 pcs)	900x900x80mm tabletop, 600x600x600mm base, 400x400x400mm stool	SET	2000	



Bluestone Organic Table Set



Bluestone Organic Seat



Bluestone Table

Marble : Frozen Blue

Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled
Paving	600x400x20	SQM	54	24.00	1300	
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	600x400x20/60	PC	15	36.00	600	
Dropface	800x400x20/60	PC	20	24.00	500	WSL
Bevelled	600x400x30	PC	20	68.00	1400	
Bevelled	800x400x30	PC	26	45.00	1200	WSL

Marble : Grey Apricot

Sandblasted & Tumbled, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	300x75x12	SQM	32	25.00	800	Honed, Herringbone Pattern,WSL
Paving	600x400x20	SQM	54	24.00	1300	
Paving	800x400x20	SQM	54	16.00	900	WSL
Paving	Crazy Pavingx20	SQM	58	20.00	1200	1 m2 per layer, new
Dropface	600x400x20/60	PC	15	36.00	600	
Dropface	800x400x20/60	PC	20	24.00	500	WSL
Bevelled	600x400x30	PC	20	68.00	1400	
Bevelled	800x400x30	PC	26	34.00	900	WSL

Marble : Antarctica White

Sandblasted, Slip Rate P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	16	36.00	600	
Bevelled	600x400x30	PC	21	64.00	1400	

Marble : Silver Ash

Sandblasted & Tumbled, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled
Paving	600x400x20	SQM	54	24.00	1300	
Paving	Crazy Pavingx20	SQM	58	20.00	1200	1 m2 per layer, new
Dropface	600x400x20/60	PC	15	36.00	600	
Bevelled	600x400x30	PC	20	64.00	1300	

Granite: Zen Grey


Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x400x30	PC	20	68.00	1400	

Granite: Ash Grey

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x400x30	PC	20	68.00	1400	



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	540x490x20	SQM	54	29.77	1700	90x90 cobbles on mesh. Top flamed, 4 sides split, bottom sawn

Granite: Ken Black

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	

Granite: Sesame White

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	

Granite: New Grey

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	

Travertine: Classic

Tumbled and Unfilled, Slip Rating P4



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	610x406x12	SQM	32	39.63	1300	
Paving	610x406x20	SQM	76	22.21	1700	WSL
Paving	610x406x30	SQM	81	16.35	1400	
Dropface	610x406x20/60	PC	15	48.00	800	WSL
Dropface	610x406x30/60	PC	15	40.00	600	New
Coping	406x406x30	PC	15	99.00	1500	New
Coping	610x406x30	PC	20	66.00	1400	

Travertine: Beige


Tumbled and Unfilled, Slip Rating P4



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	610x406x12	SQM	32	39.63	1300	
Paving	Crazy Pavingx20	SQM	54	22.00	1200	1 m2 per layer
Paving	610x406x30	SQM	81	16.35	1400	
Dropface	610x406x20/60	PC	15	48.00	800	WSL
Dropface	610x406x30/60	PC	15	40.00	600	New
Coping	610x406x30	PC	20	66.00	1400	



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
French Pattern	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set,1.488 sqm/set



1.488 SQM/set

- A: 610 x 406 x 12 mm 2pcs/set
- B: 406 x 406 x 12 mm 4pcs/set
- C: 406 x 203 x 12 mm 2pcs/set
- D: 203 x 203 x 12 mm 4pcs/set

Limestone: Belgium Blue

Sandblasted & Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	600x400x20	SQM	54	24.00	1300	
	Dropface	600x400x20/60	PC	15	36.00	600	
	Bevelled	600x400x30	PC	20	64.00	1300	
	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled


Limestone: Moonlight Grey

Acid & Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	600x400x18	SQM	49	24.00	1200	
	Dropface	600x400x20/60	PC	15	48.00	800	
	Bevelled	600x400x30	PC	20	68.00	1400	

Limestone: Galala NEW

Sandblasted & Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	600x400x20	SQM	54	24.00	1300	New, sealing is recommended around pools.
	Dropface*	600x400x20/60	PC	20	48.00	1000	New, sealing is recommended around pools.
	Coping	600x400x30	PC	20	66.00	1400	New, sealing is recommended around pools.
* 20mm thick top paving surface, 30mm thick dropface side.							

Limestone: Sunny Menia NEW

Acid Washed & Tumbled, Slip Rating P5


	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	600x400x20	SQM	52	24.00	1300	New, sealing is recommended around pools.
	Paving	500-700x20	PC	20	50.00	1000	New, sealing is recommended around pools.
	Dropface	600x400x20/60	PC	20	48.00	1000	New, sealing is recommended around pools.
	Coping	600x400x30	PC	20	66.00	1400	New, sealing is recommended around pools.

Limestone: Lime Greige NEW

Sandblasted & Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	600x400x18	SQM	50	26.88	1400	New
	Paving	200x100x18	SQM	50	28.00	1400	New, Honed & Tumbled
	Dropface	600x400x18/60	PC	15	52.00	800	New
	Bevelled	600x400x30	PC	20	68.00	1400	New

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	French Pattern	595x395 / 395x395 / 395x195 / 195x195x18	SQM	50	25.20	1300	New



1.40 SQM/set

- A: 595 x 395 x 18 mm 2 pcs/set
- B: 395 x 395 x 18 mm 4 pcs/set
- C: 395 x 195 x 18 mm 2 pcs/set
- D: 195 x 195 x 18 mm 4 pcs/set

Limestone: Twilight Copper NEW (Cobble)

Top Split & Sides Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Cobbles	100x100x27-32	SQM	100	10.00	1000	Individual pieces, new

Limestone: Sinai Pearl NEW (Organic Stepper)

Sandblasted & Tumbled, Slip Rating P5

	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	500-700x20	PC	20	50.00	1000	New

Quartz: Stormy Grey

Natural Split, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	Crazy Pavingx20-30	SQM	54	25.00	1400	1 m2 per layer
	Coping	600x300x30	PC	15	122.00	1900	Crazy Paver

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	200-700x30-50x30-50	SQM	89	20.00	1800	Fileti Paving

Quartz: Ember Mist NEW (Cobble)

Top Split & Sides Tumbled, Slip Rating P5

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Cobbles	100x100x18-22	SQM	100	15.00	1500	Top surface split, Other sides tumbled

Porphyry: Queensland Porphyry NEW

Natural Split, Slip Rating P5

Color	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Queensland Porphyry Brown	Cobbles	90x90x40-70	SQM	108	16.00	1800	New.
Queensland Porphyry Grey	Cobbles	90x90x40-70	SQM	108	16.00	1800	New.
Queensland Porphyry Brown	Paving	Crazy Pavingx20-40	SQM	85	20.00	1700	New.
Queensland Porphyry Grey	Paving	Crazy Pavingx20-40	SQM	85	20.00	1700	New.

* Color Blending Available.



Queensland Porphyry Brown
Cobble, P5



Queensland Porphyry Brown
Crazy Paver, P5



Queensland Porphyry Grey
Cobble, P5



Queensland Porphyry Grey
Crazy Paver, P5



Queensland Porphyry Mixed
Cobble, P5



Queensland Porphyry Mixed
Crazy Paver, P5

Brick NEW

Reclaimed, Slip Rating P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Charcoal Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400	Sold per crate
Red Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400	Sold per crate
White Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400	Sold per crate
Multicolor Ochre Blend	Reclaimed	240x110x65	PC	4	420.00	1500	Sold per crate



Permeable Pavers

Heavy Sandblasted, Slip Rating P5


Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	400x200x55	SQM	100	14.40	1500	Colour Available: Grey

*Made from recycled materials


Porcelain NEW

Textured, Slip Rating P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Reefstone Creamy White	Textured	600x600x20	SQM	46	28.80	1400	Sold per piece
Reefstone Dark Grey	Textured	600x600x20	SQM	46	28.80	1400	Sold per piece
Reefstone Neutral Grey	Textured	600x600x20	SQM	46	28.80	1400	Sold per piece
Reefstone Warm Grey	Textured	600x600x20	SQM	46	28.80	1400	Sold per piece



*Cut to any size within or up to 600 x 600 x 20mm, lead time: 1-2 weeks



Australian Stone


Victorian Bluestone Pitchers | Bluestone

Rich with the earthy tones of Australian volcanic rock and rugged, hand-cut texture - perfect for projects seeking timeless strength and authentic heritage.



Queensland Porphyry | cobbles & crazy paving

Embrace the earthy elegance of Queensland Porphyry, where deep, russet-grey tones blend with the split finish. Available in Cobbles for distinctive borders and Cladding, and Crazy Paving for naturally artistic surfaces.



Slab Series

Bluestone

Color	Finish	Dimension (mm)	UoM	Note
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x20	PC	
Abalone	One Side Sawn & One Side Honed	2400x1300x20	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x30	PC	
Blueocean	One Side Sawn & One Side Honed	2900x2100x30	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x40	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x50	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x60	PC	



Blueocean Sawn, P5 Blueocean Honed, P3 Abalone Honed, P5

Marble

Color	Finish	Dimension (mm)	UoM	Note
Silver Ash	One Side Sandblasted & One Side Honed	1200-1600x600x30	PC	
Antarctica White	One Side Sandblasted & One Side Honed	1500x600x30	PC	
Grey Apricot	One Side Sandblasted & One Side Honed	1500x800x30	PC	
Frozen Blue	Sandblasted	1600x600x30	PC	
Frozen Blue	Sandblasted	2000x600x30	PC	



Frozen Blue, P5 Grey Apricot, P5 Antarctica White, P5 Silver Ash, P5




Slab Example (Moonlight Grey)

Slab Series

Granite


Color	Finish	Dimension (mm)	UoM	Note
Angola Black	One Side Flamed & One Side Honed	2200x1000x30	PC	
Zen Grey	One Side Flamed & One Side Honed	2000x1400x30	PC	



Angola Black Flamed P5 Angola Black Honed P3 Zen Grey Flamed P5 Zen Grey Honed P3

Limestone


Color	Finish	Dimension (mm)	UoM	Note
Moonlight Grey	One side honed & One side Acid+Brushed	2400x750x18	PC	
Moonlight Grey	One side honed & One side Acid+Brushed	2400x1500x18	PC	
Belgium Blue	One Side Sandblasted & One Side Honed	1000-1600x600x30	PC	
Belgium Blue	One Side Sandblasted & One Side Honed	1500x800x30	PC	



Belgium Blue Sandblasted, P5 Moonlight Grey Acid Washed & Tumbled, P5

Travertine

Color	Finish	Dimension (mm)	UoM	Note
Classic	Honed & Filled	2500x750x30	PC	
Classic	Honed & Filled	2500x1500x30	PC	




Classic Honed & Filled, P3

*Slab edges are unfilled

Cobble Series

Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean Antline	Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled
Blueocean	All Sides Rockface	100x100x30-40	SQM	108	10.00	1100	Individual pieces



Antline Tumbled, P5



Blueocean Rockface, P5

Marble

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Frozen Blue	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled
Silver Ash	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled



Frozen Blue, P5



Silver Ash, P5

Granite

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Ash Grey	Flamed	540x490x20	SQM	54	29.77	1700	90x90 cobbles on mesh. Top flamed, 4 sides split, bottom sawn



Ash Grey
Cobbles on Mesh, P5

Cobble Series

Limestone

	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Belgium Blue	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled
NEW	Twilight Copper	Split	100x100x27-32	SQM	100	10.00	1000	Individual pieces, new
NEW	Lime Greige	Honed & Tumbled	200x100x18	SQM	50	28.00	1400	New, Honed & Tumbled



Belgium Blue
100x100x20, P5



Twilight Copper
100x100x27-32, P5



Lime Greige
200x100x18, P5

Quartz: Ember Mist NEW

Top Split & Sides Tumbled, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x18-22	SQM	100	15.00	1500	Top surface split, Other sides tumbled

Porphyry: Queensland Porphyry NEW AU

Natural Split, Slip Rating P5

Color	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Queensland Porphyry Brown	Cobbles	90x90x40-70	SQM	108	16.00	1800	New.
Queensland Porphyry Grey	Cobbles	90x90x40-70	SQM	108	16.00	1800	New.



Queensland Porphyry Brown
P5



Queensland Porphyry Grey
P5



Queensland Porphyry Mixed
P5

Crazy Paving Series

Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	Crazy Pavingx20	SQM	54	25.00	1400	1 m2 per layer



Blueocean Sawn, P5

Marble NEW

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Grey Apricot	Sandblasted	Crazy Pavingx20	SQM	58	20.00	1200	1 m2 per layer, new
Silver Ash	Sandblasted	Crazy Pavingx20	SQM	58	20.00	1200	1 m2 per layer, new




Grey Apricot, P5



Silver Ash, P5

Travertine NEW

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Beige	Unfilled	Crazy Pavingx20	SQM	54	22.00	1200	1 m2 per layer



Beige Travertine, P4

Crazy Paving Series

Quartz

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Stormy Grey	Brushed	Crazy Pavingx20-30	SQM	54	25.00	1400	1 m2 per layer



Stormy Grey, P5

Porphyry NEW

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Queensland Porphyry Brown	Split	Crazy Paving	SQM	85	20.00	1700	New.
Queensland Porphyry Grey	Split	Crazy Paving	SQM	85	20.00	1700	New.



Queensland Porphyry Brown
P5



Queensland Porphyry Grey
P5



Queensland Porphyry Mix
P5

Organic Stepper Series

Bluestone Sawn

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	500-700x20	PC	20	50.00	1000	
Blueocean	Sawn	300-500x30	PC	13	66.00	900	
Blueocean	Sawn	500-700x30	PC	30	34.00	1100	
Blueocean	Sawn	700-900x30	PC	53	34.00	1900	



Blueocean Stepper Sawn, P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	800-1000x600x150	PC	250	5.00	1300	Sold by pallet



Blueocean Giant Stepper, Sawn, P5

Bluestone Honed

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Honed	500-700x30	PC	30	34.00	1100	



Blueocean Stepper Honed, P3

Limestone Sandblasted NEW

Color	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Sinai Pearl	600x600x20	PC	20	50.00	1000	New



Sinai Pearl Stepper Sandblasted, P5

Wall Cladding Series

Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Rockface	600/400/200x200x20-45	SQM	81	15.08	1300	Mix sizes,WSL
Blueocean	Rockface	200x200x20	PC	10	200.00	2000	Corner return100mm,WSL
Blueocean	Ripple	600x300x20	SQM	54	21.06	1200	WSL



Rockface



Rockface Corner Return



Ripple

Herringbone Pattern

Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Marble	Grey Apricot	Honed	300x75x12	SQM	32	25.00	800	WSL
Bluestone	Blueocean	Sawn	300x100x20	SQM	54	25.00	1400	WSL



12mm Thick Tiles

Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Bluestone	Blueocean	Sawn	600x300x12	SQM	32	29.88	1000	
Bluestone	Blueocean	Honed	600x300x12	SQM	32	29.88	1000	
Travertine	Classic	Tumbled & Unfilled	610x406x12	SQM	32	39.63	1300	
Travertine	Beige	Tumbled & Unfilled	610x406x12	SQM	32	39.63	1300	
Travertine	Beige	Tumbled & Unfilled	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set,1.488 sqm/set

Pattern Series

* Please see installation guide next page

Herringbone



Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Bluestone	Blueocean	Sawn	300x100x20	SQM	54	25.00	1400	WSL
Marble	Grey Apricot	Honed	300x75x12	SQM	32	25.00	800	WSL


Bluestone Ashlar Pattern 900 Series 20mm Thick



Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	595x595 / 895x595 / 595x295 / 295x295x20	SQM	54	25.44	1400	Ashlar Pattern 900 series, Sold by set, 3.18 sqm/set

*Other sizes and finishes available via special order.

Travertine French Pattern 12mm Thick



Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Beige	Tumbled & Unfilled	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set,1.488 sqm/set


Limestone French Pattern 18mm Thick



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
French Pattern	595x395 / 395x395 / 395x195 / 195x195x18	SQM	50	25.20	1300	New

Pattern Installation Guide

Bluestone Ashlar Pattern 900 Series 20mm Thick




3.18 SQM/set

- A: 595 x 595 mm 4pcs/set
- B: 895 x 595 mm 2pcs/set
- C: 595 x 295 mm 2pcs/set
- D: 295 x 295 mm 4pcs/set

Bluestone Ashlar Pattern 600 Series 20mm Thick*


*Special Order Only



2.2 SQM/set

- A: 295 x 295 mm 5 pcs/set
- B: 595 x 295 mm 4 pcs/set
- C: 595 x 595 mm 3 pcs/set


Travertine French Pattern



1.488SQM/set

- A: 610 x 406 x 12 mm 2pcs/set
- B: 406 x 406 x 12 mm 4pcs/set
- C: 406 x 203 x 12 mm 2pcs/set
- D: 203 x 203 x 12 mm 4pcs/set

Limestone Lime Greige French Pattern



1.40 SQM/set

- A: 595 x 395 x 18 mm 2 pcs/set
- B: 395 x 395 x 18 mm 4 pcs/set
- C: 395 x 195 x 18 mm 2 pcs/set
- D: 195 x 195 x 18 mm 4 pcs/set

Crushed Rock Base Series

Paver, Cobblestone, Brick, Permeable Pavers that Suitable on Crushed Rock

Paver Thickness

- Stone pavers: 30–40 mm (pedestrian), 40–60 mm (driveway)
- Reclaimed bricks: 50 mm (pedestrian), 65 mm (pedestrian + light vehicle)
- Permeable pavers: 55 mm (pedestrian & light vehicle)
- Cobblestones: 30–40 mm (light traffic), 90–100 mm (driveways)

Recommended Paver Sizes

- Stone pavers: 400x200, 600×300, 600×400, 600×600 mm
- Reclaimed bricks: ~230×110 mm
- Permeable pavers: ~200x100, 400×200 mm
- Cobblestones: 100×100, 100×200
- Avoid slabs >600×900 mm on crushed rock

Standard Base Construction

- Pedestrian: 75–100 mm compacted crushed rock
- Driveways / vehicles: 120–150 mm crushed rock
- Bedding: 20–30 mm sand or crusher dust
- Jointing: sand, polymeric sand, or mortar (cobble optional)
- Edge restraints: recommended

Quick Guide

Area	Products	Thickness	Notes
Backyard / Patio	Stone, bricks, cobbles	30–65 mm	All suitable
Driveway	Stone, 65 mm bricks, cobbles, 55 mm permeable	40–100 mm	50 mm bricks = pedestrian only
Pathway	Stone, bricks, cobbles	30–65 mm	Good interlock
Permeable Areas	55 mm pavers, bricks, cobbles	50–55 mm	Use permeable base design
Pool Surround	Stone, bricks	30–65 mm	Seal bricks

Available Products

Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet
Porphyry	Queensland Porphyry Brown	Acid & Tumbled	90x90x40-70	SQM	108	16.00	1800
Porphyry	Queensland Porphyry Grey	Split	90x90x40-70	SQM	108	16.00	1800
Bluestone	Blueocean	All Sides Rockface	100x100x30-40	SQM	108	10.00	1100
Brick	Multicolor Ochre Blend	Reclaimed	240x110x65	PC	4	420.00	1500
Brick	Charcoal Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400
Brick	Red Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400
Brick	White Ochre Blend	Reclaimed	240x110x50	PC	3	532.00	1400
Bluestone	Blueocean	Top Sawn & Sides Split	300-400x200x60	SQM	165	7.20	1200
Permeable Ceramic	Grey	Heavy Sandblasted	400x200x55	SQM	100	14.40	1500
Bluestone	Blueocean	Sawn	600x300x30	SQM	81	17.82	1500
Bluestone	Blueocean	Sawn	600x600x30	SQM	81	12.24	1000
Travertine	Beige	Tumbled & Unfilled	610x406x30	SQM	81	16.35	1400
Travertine	Classic	Tumbled & Unfilled	610x406x30	SQM	81	16.35	1400
Travertine	Beige	Tumbled & Unfilled	610x406x30	PC	20	66.00	1400

Local Processing

Custom Cutting & Resizing

Lead Times


- Local Processing: 1–2 weeks (3–4 weeks for curved pool coping)
- Overseas Orders: 8–10 weeks

Resizing

SAI can resize from our slab stocks (slab sized up to 2000 x 810) to meet your oversize requirements.

Paver Size

If our standard range paver sizes can not meet your requirement, we can resize them into your desired size.




SAI can resize from our slab stocks (slab sized up to 2000 x 810mm) to meet you oversize requirements.




Thickness Adjustment


We can adjust our standard range paver thickness to fit into your project.




Edge Profile



Custom Hearth & Benchtop


	Bluestone		Marble			
	Bluestone Sawn	Bluestone Honed	Grey Apricot, Sandblasted & Honed	Frozen Blue, Sandblasted & Honed	Antarctica White, Sandblasted & Honed	Silver Ash, Sandblasted & Honed
						
 Custom Hearth	Cut to any size within or up to 1500 x up to 500 x 20/30mm <i>*1 long + 2 short edges beveled</i>		1500 x 800 x 30mm			
 Benchtop Fabrication						

Waterjet Cutting Services



We provide intricate waterjet cutting for custom cutouts and name plaques.

Application Photos



Curved Pool Templating

Service Steps




1. Send Pool Photo



2. Choose Stone & Edge




3. Get a Quote




4. Arrange Template Date



5. Receive Final Quote



6. Processing Begins



Templating Checklist

Site Contact & Photos

Please attach site photos: Yes / No
Site address: _____
Site contact details: _____
* Name: _____ * Contact Number: _____ * Role: _____

Project Scope

What do you need templated?
☐ Pool
☐ Spa
☐ Retaining Wall
☐ Other: (specify) _____

Pool Details

Pools: Is this a new pool build or a renovation?
A. New Builds
What type of pool is it? ☐ Concrete / ☐ Fiberglass
Concrete Only:
* Has the pool been rendered and are there waterline tiles? ☐ Yes / ☐ No
* If No, when will the pool be getting rendered and tiled? _____
B. Renovation
What type of pool is it? Concrete / Fiberglass
Concrete Only:
* Are the existing copers still on the pool? ☐ Yes / ☐ No
* If yes, can we see the back of the beam? ☐ Yes / ☐ No
* If not, can we remove some of the existing copers if required? ☐ Yes / ☐ No
* Will the existing tiles be removed or replaced? ☐ Removed / ☐ Replaced
* If being replaced, when will the new waterline tiles be installed? _____

C. Paving & Integration
Does the pool have radius with straights? ☐ Yes / ☐ No
Are we doing just the radius? Yes / No
Have other external pavers already been laid? ☐ Yes / ☐ No
* If other external paving has been laid, will we need to integrate the existing paving lines into the copers or do you want them as a standalone boarder to the pool?
* Integrated - advise the customer that we need to scan the whole pool to be able to do this
* Standalone Border
Are the rear of the copers meeting pavers around all edges of the pool? ☐ Yes / ☐ No
* If not, what happens on those edges? Is there an overhang or a drop face? ☐ Overhang / ☐ Drop Face
* What size drop face? _____ mm
* What size overhang do you want? _____ mm

D. Coper Specifications
What size will your grout joins be? (ie; 3, 4, 5mm) _____ mm
Are your copers getting cut from pavers or custom? ☐ Pavers / ☐ Custom
Custom: Do you have a preferred average size? _____ mm

E. Paver Details (If Copers are Cut from Pavers)


Pavers - What size are the pavers?
* L (Length) _____ mm
* W (Width) _____ mm
* D (Depth) _____ mm

Extended Stone Application Guide

Drop Options


(*Multiple drops as one piece; L:Locally = size adjustment / miter and glue, O:Overseas = one solid piece, S: Standard Stock)

Double Dropfaces




Internal corner drop - (L/O)

- Ideal for pool corner



External corner drop - (L/O)


- Ideal for stair side end
- Spa corner



Dropfaces on both long edges - (L/O)

- Ideal for rised spa
- Wall capping

Triple Dropfaces



Drop on both long edges and one short edge - (L/O)

- Ideal to be used as spa overflow end pieces
- Wall capping end pieces

Stepping Stone Options

Round Steppers



Full circle steppers - (L/O/S)

multiple colour / stone / size / thickness available



Organic steppers - (L/S)


multiple colour / stone / size / thickness available

Strip steppers



Billets, random length - (L/O/S)

multiple colour / stone / size / thickness available



Regular steppers - (L/O/S)

1000x500, 1200x600, plus more sizes available for order


Dividing Options

(*for windows / doors and outdoor paving)



Kerbs - (O/S)

600x100x100, more sizes available for order




Sills - (L/O)

For windows / doors, available in different profiles



Edge pavers - (L/O/S)


600x200x20, more sizes available for order



Thresholds - (O)


Multiple colour / stone / size / thickness available

Featured Ground Covers



Cobbles - (O/S)


Ideal for drive way, or to be featured in outdoor paving areas



Pitchers - (S)

Locally sourced chiselled Bluestone pitchers

Extra Larger Applications




Hearth - (L/O/S)

Any size within up to 1600 x up to 500 x30mm

1 long + 2 short edges beveled

Fixed Price



Bench-top - (L/O)

Any size within up to 1600 x up to 500 x30mm

1 long + 2 short edges beveled

Fixed Price

SOO (Special Order Overseas)

Extended color range any size, thickness and shape with lead time of 8 - 10 weeks. (some European stone can be longer.)

Bluestone



Grace Black, Sawn
**Available finish: Bush Hammered, Honed, Sandblasted*



Metal Grey, Flamed
**Available finish: Bush Hammered*

Travertine



Tuscany, Tumbled
**Available finish: Sandblasted and Washed*



Silver Grey, Sandblasted
**Available finish: Honed and Tumbled, Honed, Bush Hammered*

Granite



Light Ash Grey, Flamed
**Available finish: Rough-Picked*



Pearl White, Flamed
**Available finish: Bush Hammered, Honed*



Zen Grey (New Quarry), Flamed
**Available finish: Sandblasted, Honed*



Black Pearl, Flamed
**Available finish: Leathered, Honed, Natural Split*



King Black, Flamed
**Available finish: Polished*



Angola Black, Flamed
**Available finish: Natural Split, Honed, Leathered*



Golden Crust, Flamed
**Available finish: Bush Hammered*



Grace Gold, Flamed
**Available finish: Polished*



River Stone, Flamed



Stan Brown, Flamed
**Available finish: Polished*



Baltic Brown, Flamed
**Available finish: Polished*



Golden Wave, Flamed
**Available finish: Polished*

Granite



TX-Granite, Flamed



Hulk Gloudy, Sandblasted and Water Jet Washed



China Yellow Sand, Sandblasted



White Sand, Coarse Honed

Limestone



Smooth Grey, Sandblasted
**Available finish: Honed & Tumbled, Natural Split & Tumbled*



Santa Snow, Sandblasted & Acid Washed
**Available finish: Acid Washed*



Driftwood Beige, Sandblasted & Acid Washed



Urban Steel, Sandblasted
**Available finish: Honed, Rockface, Rough-Picked*



Ivory Veil, Honed
**Available finish: Rockface*

Marble



Smooth Beige, Sandblasted and Tumbled
**Available finish: Honed & Tumbled*

Porphyry



Grey Porphyry, Flamed
**Available finish: Honed & Tumbled*



Green Porphyry, Flamed

MTO
(Made to Order)

MTO
(Made to Order)


SOO, Fireplace

Any style, color, stone, design with lead time of 8 - 10 weeks.

A hand-carved natural stone fireplace is the epitome of timeless elegance and craftsmanship. Each piece, sculpted from materials like marble, limestone, or granite, showcases unique veining and texture.



Stone Range



Landscape Accessories

Ecolinx Tree Watering Bag

The Ecolinx Tree Watering Bag delivers slow, consistent hydration directly to tree roots saving time, water, and ensuring stronger, healthier trees in every landscape.



- Capacity:** 75 litres
Dimensions: Approximately fits trees with trunk diameter up to 20 cm (expandable by joining two bags)
Material: High-grade, UV-resistant polyethylene
Weight: Approx. 0.4–0.5 kg per bag
Design: Dual drip outlets deliver water gradually over 5–24 hours for deep-root watering and minimal evaporation
Features:
- Reusable and portable
 - No tools required — zip, fill and go
 - Weather and UV-resistant for Australian conditions

SAI Skimmer Lid Kit



- Dimension**
Frame Size 342 x 342mm
Inlay Thickness: 15 ~ 22mm
- Kit Content**
- Stainless Steel Outer Frame
 - Stainless Steel Inlay Lid
 - Height Adjuster
 - Stainless Steel Safety Key

AQUEA Skimmer Lid Kit



- Dimension**
Frame Size 342 x 342mm
Inlay Thickness: 15 ~ 22mm
- Kit Content**
- Polymers Outer Frame
 - Polymers Lid Assembly
 - Spacer Plate
 - Stainless Steel Lid Key
 - Adhesive & Nozzle
 - Grouting Plugs

Bollard | Carbon Steel

This surface-mounted bollard is made of hot-dip galvanized steel with high-visibility yellow coating to restrict vehicle access and ensure safe pedestrian passage in areas like loading docks and warehouses.



Stone Handling Equipment | Laying of Landscaping Elements

EASYLIFT EL-SIMPLE Slab Handling Device



- The "packhorse" on 2 wheels for easy slab laying: small, light and exceptionally gentle on the back.
- User-friendly and handy device for seamless slab laying.
 - For optimal posture when working. Through the lever effect, even heavy slabs can be laid without great effort.
 - The special wheel design makes the EASYLIFT EL-SIMPLE extremely manoeuvrable.
 - Solid design, indestructible.
 - Collapsible, thus space-saving in transit.

EL-SIMPLE

Type	Dead Weight kg (lbs)	Length of Gripper mm (in)	Inside Height mm (in)	Gripping Range mm (in)	Working Load Limit/WLL kg (lbs)
FSZ- M	16 (35)	90 (3.54)	150 (5.91)	180 – 580 (7.09 – 22.83)	250 (551)

TWISTGRIP TG-5/12 Kerb and Strip Stone handle



- Basic model TG-5/12: virtually provides kerb and border stones with a "handle".
- Can be set to any grip width from 5 to 12 cm in seconds, without using a tool.
 - It takes only 2.5 turns to achieve a full working load limit.
 - Compact dimensions, low machine weight.
 - Non-damaging grip thanks to highly wear-resistant, replaceable rubber elements.

TG- 5/12

Type	Dead Weight kg (lbs)	Length of Gripper mm (in)	Inside Height mm (in)	Gripping Range mm (in)	Working Load Limit/WLL kg (lbs)
TG- 5/ 12	3 (6.61)	90 (3.54)	60 (2.36)	50 – 120 (1.97 – 4.72)	80 (176)



- Accessories :
- TG- HGV: Handle extension for retro-fitting. Depending on the situation, achieves even better ergonomic position. Light as a feather, thanks to aluminium and wood.

TG-5/12 with TG-HGV

Type	Description	Dead Weight kg (lbs)
TG- HGV	Handle extension	0.41 (0.90)

Brick Handles KKT



- For the efficient transportation of bricks from the pallet to the laying surface.
- Adjustable.
- Durable surface protection by galvanizing

KKT

Type	Dead Weight kg (lbs)	Gripping Range mm (in)	Working Load Limit/WLL kg (lbs)
TG- HGV	1.8 (3.97)	400 – 670 (15.74 – 26.38)	50 (110)

XS-JET-80-GRABO Vacuum Hand Laying Device



XS- JET- 80- GRABO with T-handle extension



XS- JET- 80- GRABO

For fast lifting, moving and laying of even porous concrete slabs and natural stone slabs.

- Including suction plate 30 x 30 cm – Max. Load capacity 50 kg.
- Equipped with a powerful blower.
- Digital display for optimum readability of the vacuum.
- Easy and tool-free replacement of the seal.
- Easy replacement of the filter fleece without tools.
- Powered by a rechargeable 18 V lithium-ion battery. (rechargeable battery concept)
- Battery runtime: Maximum approx. 26 min. in continuous operation.
- Charging time approx. 90 min.
- Attachable wired remote control for switching the vacuum on and off directly on mounted handles.
- Optionally available: Height-adjustable carrying handles FXAH-120-SOLO set and FXAH-120-DUO set for tool-free attachment. For even more ergonomic working.

Scope of delivery:


XS- JET- 80- GRABO: Vacuum hand-held laying device incl. 30 x 30 cm suction plate, 1 x mains adapter/charger with 4 interchangeable plugs (EU, US, UK, CN), 2 x rechargeable battery, replacement seal, 2 x replacement filters, T-handle extension, wired remote control for T-handle extension. Supplied in soft case.

Type	Dead Weight kg (lbs)	Dimensions L x W mm (in)	Battery Capacity Ah	Type of Drive electric/Battery kW	Weight Total Weight kg (lbs)
XS- JET- 80- GRABO	2.8 (6.17)	300 x 300 (11.81 x 11.81)	5.2	0.16	8.3 (18)

Applications Photos



Applications Photos



Applications Photos



Beige Travertine



Classic Travertine



Reclaimed Brick Charcoal Ochre



Reclaimed Brick Multicolor Ochre



Reclaimed Brick Red Ochre



Reclaimed Brick White Ochre



WAREHOUSE

5 Hamilton Street,
Oakleigh VIC 3166

CONTACT US

1300 855 851
info@saistone.com.au