


BLUESTONE

SAI 2026 BLUESTONE SERIES

[Modern
Durable
Affordable]




BLUESTONE SERIES

Bluestone: Blueocean Sawn Paving


Slip Rating P5

Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x12	SQM	32	29.88	1000	
300x100x20	SQM	54	25.00	1400	Herringbone Pattern,WSL
400x400x20	SQM	54	16.00	900	
500x500x20	SQM	54	25.00	1400	WSL
600x300x20	SQM	54	18.00	1000	
600x400x20	SQM	54	24.00	1300	
600x600x20	SQM	54	18.00	1000	
800x400x20	SQM	54	16.00	900	
995x495x20	SQM	54	24.63	1400	
1000x1000x20	SQM	54	20.00	1100	
1005x500x20	SQM	54	25.12	1400	WSL
1200x600x20	SQM	54	25.20	1400	
600x300x30	SQM	81	17.82	1500	
600x600x30	SQM	81	12.24	1000	
800x400x30	SQM	81	10.88	900	WSL
495x495x40	SQM	108	11.76	1300	
995x495x40	SQM	108	11.82	1300	Also available in heavy sandblasted

Crazy Paving




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Crazy Pavingx20	SQM	54	25.00	1400	1 m2 per layer

Pitcher




Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Top Sawn & Sides Split	300-400x200x60	SQM	165	7.20	1200	

Patterns



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
595x595 / 895x595 / 595x295 / 295x295x20	SQM	54	25.44	1400	Ashlar Pattern 900 series, Sold by set, 3.18 sqm/set

*Other sizes and finishes available via special order.



3.18 SQM/set

- A: 595 x 595 mm 4pcs/set
- B: 895 x 595 mm 2pcs/set
- C: 595 x 295 mm 2pcs/set
- D: 295 x 295 mm 4pcs/set

Steppers




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500-700x20	PC	20	50.00	1000	
300-500x30	PC	13	66.00	900	
500-700x30	PC	30	34.00	1100	
700-900x30	PC	53	34.00	1900	

Giant Stepper




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
800-1000x600x150	PC	250	5.00	1300	Sold by pallet

Dropface




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/40	PC	14	72.00	1100	
600x400x20/60	PC	15	48.00	800	
800x400x20/60	PC	18	32.00	600	
800x400x30/80	PC	20	20.00	400	

Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x30	PC	15	99.00	1500	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	27	34.00	1000	
1005x350x30	PC	30	35.00	1100	WSL
1005x500x30	PC	41	34.00	1400	WSL


Bullnose



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x20	PC	10	85.00	900	
600x400x30	PC	20	68.00	1400	
800x400x30	PC	26	35.00	1000	
1005x350x30	PC	30	35.00	1100	WSL

Applications






Bluestone: Blueocean Honed

Slip Rating P3

Paving




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x12	SQM	32	29.88	1000	
600x300x20	SQM	54	18.00	1000	
600x400x20	SQM	54	24.00	1300	
600x600x20	SQM	54	18.00	1000	
800x400x20	SQM	54	16.00	900	

Steppers




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500-700x30	PC	30	34.00	1100	

Dropface




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/40	PC	14	72.00	1100	WSL
600x400x20/60	PC	15	48.00	800	
1005x500x30/80	PC	42	20.00	900	WSL

Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500x500x30	PC	20	68.00	1400	WSL
600x300x30	PC	15	99.00	1500	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	27	35.00	1000	WSL

Bullnose



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x20	PC	10	85.00	900	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
1005x350x30	PC	30	35.00	1100	WSL


Applications



Bluestone: Antline

Sawn, Slip Rating P5

Paving




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20	SQM	54	24.00	1300	
1005x500x20	SQM	54	25.13	1400	WSL

Cobble




Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled

Dropface




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/50	PC	16	48.00	800	
800x400x20/50	PC	20	32.00	700	WSL

Bevelled Edge




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x30	PC	22	68.00	1500	

Applications



Bluestone: Lux Black

Flamed, Slip Rating P5




Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	800x400x20/50	PC	20	19.00	400	WSL
Bevelled	800x400x30	PC	20	34.00	700	WSL






Bluestone: Steel Blue

NEW

Sawn, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	New
Paving	800x400x20	SQM	54	16.00	900	New
Dropface	600x400x20/60	PC	14	48.00	700	New
Bevelled	600x400x30	PC	20	68.00	1400	New




Bluestone: Pitcher NEW


Flamed, Slip Rating P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Victoria Pitcher	Sawn	150-400x100-250x20	SQM	46	33.00	1600	Top & bottom sawn, all 4 sides split, thickness ± 5 mm
Victoria Pitcher	Split	150-400x100-250x30	SQM	60	25.00	1500	Top & 4 sides split, bottom sawn, thickness ± 10 mm
Victoria Pitcher	Sawn	150-400x100-250x30	SQM	60	25.00	1500	Top & bottom sawn, all 4 sides split, thickness ± 5 mm
Blueocean	Top Sawn & Sides Split	300-400x200x60	SQM	165	7.20	1200	





Victoria Pitcher, Sawn
20 \pm 5 mm Thick, P5 



Victoria Pitcher, Split
30 \pm 10 mm Thick, P5 



Victoria Pitcher, Sawn
30 \pm 5 mm Thick, P5 



Blueocean Pitcher, Sawn
60 mm Thick, P5





WAREHOUSE

5 Hamilton Street
VIC 3166 Australia

CONTACT US

1300 855 851
info@saistone.com.au